

**BLOOD AND PLASMA
BIOLOGICAL PRODUCT DEVIATION CODES
FY02**

PD/DS/DD DONOR SUITABILITY

PD-**-** POST DONATION INFORMATION

PD-10-**-** Miscellaneous

PD-10-01 Other

PD-11-**-** Testing

PD-11-01 Other

PD-11-02 Tested positive for Hepatitis B post donation

PD-11-03 Tested positive for Hepatitis B prior to donation

PD-11-04 Tested positive for Hepatitis C post donation

PD-11-05 Tested positive for Hepatitis C prior to donation

PD-11-06 Tested positive for HIV post donation

PD-11-07 Tested positive for HIV prior to donation

PD-11-08 Tested positive for HTLV I/II post donation

PD-11-09 Tested positive for HTLV I/II prior to donation

PD-11-10 Tested positive for sexually transmitted disease post donation

PD-11-11 Tested positive for sexually transmitted disease prior to donation

PD-11-12 Tested positive for hepatitis not specified, post donation

PD-11-13 Tested positive for hepatitis not specified, prior to donation

PD-11-14 Tested positive at another center, specific testing unknown

PD-12-**-** Behavior/History

PD-12-01 Other

PD-12-02 History of hepatitis not specified

PD-12-03 History of jaundice

PD-12-04 History of Hepatitis B

PD-12-05 History of Hepatitis C

PD-12-06 Sexually transmitted disease

PD-12-07 Sex partner has or had a sexually transmitted disease

PD-12-08 Sex partner tested positive for HIV

PD-12-09 Sex partner tested positive for HTLV I/II

PD-12-10 Sex partner tested positive for HBV

PD-12-11 Sex partner tested positive for HCV

PD-12-12 Sex partner tested positive for hepatitis, not specified

PD-12-13 Sex partner engaged in high risk behavior

PD-12-14 Male donor had sex with another man

PD-12-15 Female had sex with a man who had sex with another man

PD-12-16 IV drug use

PD-12-17 Sex with IV drug user

PD-12-18 Non-IV-drug use

PD-12-19 Sex partner used non-IV drugs

PD-12-20 Donor lived in or immigrated from an HIV Group O risk area

PD-12-21 Sex partner lived in or immigrated from an HIV Group O risk area

- PD-12-22 Exchanged sex for drugs or money
- PD-12-23 Sex partner exchanged sex for drugs or money
- PD-12-24 Donor received tattoo within 12 months of donation
- PD-12-25 Donor received ear piercing within 12 months of donation
- PD-12-26 Donor received body piercing within 12 months of donation
- PD-12-27 Donor received accidental needlestick within 12 months of donation
- PD-12-28 Donor received transfusion or clotting factors within 12 months of donation
- PD-12-29 Donor received bone graft or transplant within 12 months of donation
- PD-12-30 Donor was exposed to blood or body fluids
- PD-12-31 Donor had multiple blood or body fluid exposures, e.g., tattoo/piercing
- PD-12-32 Non-sexual exposure to HIV
- PD-12-33 Non-sexual exposure to hepatitis, type not specified
- PD-12-34 Non-sexual exposure to Hepatitis B
- PD-12-35 Non-sexual exposure to Hepatitis C
- PD-12-36 Travel to malaria endemic area/history of malaria
- PD-12-37 History of disease or surgery
- PD-12-38 History of cancer
- PD-12-39 History of Creutzfeldt-Jakob Disease
- PD-12-40 Risk factors associated with Creutzfeldt-Jakob Disease - brain surgery
- PD-12-41 Risk factors associated with Creutzfeldt-Jakob Disease - family history
- PD-12-42 Risk factors associated with Creutzfeldt-Jakob Disease (vCJD) - travel
- PD-12-43 Risk factors associated with Creutzfeldt-Jakob Disease-received insulin
- PD-12-44 Received growth hormone
- PD-12-45 Received Proscar, Tegison or Accutane
- PD-12-46 Received medication or antibiotics
- PD-12-47 Received vaccine or immune globulin
- PD-12-48 Exposure to a disease
- PD-12-49 Incarcerated
- PD-12-50 Resided in a rehabilitation center or psychiatric hospital
- PD-12-51 History of Hepatitis A
- PD-12-52 Exposure to Hepatitis A
- PD-12-53 Multiple high risk behaviors/contacts
- PD-12-54 Positive drug screen
- PD-12-55 Deferred by another center
- PD-13-** Illness
 - PD-13-01 Post donation illness (not hepatitis, HIV, HTLV-I, STD, cancer or cold/flu related)
 - PD-13-02 Post donation diagnosis or symptoms of Hepatitis B
 - PD-13-03 Post donation diagnosis or symptoms of Hepatitis C
 - PD-13-04 Post donation diagnosis or symptoms of HIV
 - PD-13-05 Post donation diagnosis or symptoms of HTLV I/II
 - PD-13-06 Post donation diagnosis or symptoms of sexually transmitted disease
 - PD-13-07 Post donation diagnosis or symptoms of hepatitis, not specified
 - PD-13-08 Post donation diagnosis or symptoms of Hepatitis A
 - PD-13-09 Post donation diagnosis of cancer

- PD-14-** Not specifically related to high risk behavior
 - PD-14-01 Other
 - PD-14-02 Donor does not want their blood used
 - PD-14-03 Donated to be tested or called back for test results

- DS-**-** DONOR SCREENING
 - DS-20-** Miscellaneous
 - DS-20-01 Other
 - DS-21-** Donor did not meet acceptance criteria
 - DS-21-01 Other
 - DS-21-02 Hemoglobin or Hematocrit unacceptable or not documented
 - DS-21-03 Temperature unacceptable or not documented
 - DS-21-04 Medical review or physical not performed or inadequate
 - DS-21-05 Platelet count, no documented platelet count for unit
 - DS-21-06 Unexplained weight loss
 - DS-22-** Donor record incomplete or incorrect
 - DS-22-01 Other
 - DS-22-02 Donor identification
 - DS-22-03 Donor history questions
 - DS-22-04 Arm inspection
 - DS-22-05 Donor signature missing
 - DS-22-06 Confidential Unit Exclusion (CUE) procedure not followed
 - DS-23-** Deferral screening not done
 - DS-23-01 Donor not previously deferred
 - DS-24-** Deferral screening not done, donor previously deferred due to testing:
 - DS-24-01 Other
 - DS-24-02 HIV reactive
 - DS-24-03 HBsAg reactive
 - DS-24-04 Anti-HBc reactive
 - DS-24-05 Anti-HCV reactive
 - DS-24-06 Anti-HTLV-I reactive
 - DS-24-07 ALT elevated
 - DS-24-08 Syphilis reactive
 - DS-25-** Deferral screening not done, donor previously deferred due to history
 - DS-25-01 Other
 - DS-25-02 History of hepatitis, not specified
 - DS-25-03 History of jaundice
 - DS-25-04 History of Hepatitis B
 - DS-25-05 History of Hepatitis C
 - DS-25-06 Sexually transmitted disease
 - DS-25-07 Sex partner has or had a sexually transmitted disease
 - DS-25-08 Sex partner tested positive for HIV
 - DS-25-09 Sex partner tested positive for HTLV I/II
 - DS-25-10 Sex partner tested positive for HBV
 - DS-25-11 Sex partner tested positive for HCV
 - DS-25-12 Sex partner tested positive for hepatitis, not specified

- DS-25-13 Sex partner engaged in high risk behavior
- DS-25-14 Male donor had sex with another man
- DS-25-15 Female had sex with a man who had sex with another man
- DS-25-16 IV drug use
- DS-25-17 Sex with IV drug user
- DS-25-18 Non-IV-drug use
- DS-25-19 Sex partner used non-IV drugs
- DS-25-20 Donor lived in or immigrated from an HIV Group O risk area
- DS-25-21 Sex partner lived in or immigrated from an HIV Group O risk area
- DS-25-22 Exchanged sex for drugs or money
- DS-25-23 Sex partner exchanged sex for drugs or money
- DS-25-24 Donor received tattoo within 12 months of donation
- DS-25-25 Donor received ear piercing within 12 months of donation
- DS-25-26 Donor received body piercing within 12 months of donation
- DS-25-27 Donor received accidental needlestick within 12 months of donation
- DS-25-28 Donor received transfusion or clotting factors within 12 months of donation
- DS-25-29 Donor received bone graft or transplant within 12 months of donation
- DS-25-30 Donor was exposed to blood or body fluids
- DS-25-31 Donor had multiple blood or body fluid exposures, e.g., tattoo/piercing
- DS-25-32 Non-sexual exposure to HIV
- DS-25-33 Non-sexual exposure to hepatitis, type not specified
- DS-25-34 Non-sexual exposure to Hepatitis B
- DS-25-35 Non-sexual exposure to Hepatitis C
- DS-25-36 Travel to malaria endemic area/history of malaria
- DS-25-37 History of disease or surgery
- DS-25-38 History of cancer
- DS-25-39 History of Creutzfeldt-Jakob Disease
- DS-25-40 Risk factors associated with Creutzfeldt-Jakob Disease - brain surgery
- DS-25-41 Risk factors associated with Creutzfeldt-Jakob Disease - family history
- DS-25-42 Risk factors associated with Creutzfeldt-Jakob Disease (vCJD) - travel
- DS-25-43 Risk factors associated with Creutzfeldt-Jakob Disease-received insulin
- DS-25-44 Received growth hormone
- DS-25-45 Received Proscar, Tegison or Accutane
- DS-25-46 Received medication or antibiotics
- DS-25-47 Received vaccine or immune globulin
- DS-25-48 Exposure to a disease
- DS-25-49 Incarcerated
- DS-25-50 Resided in a rehabilitation center or psychiatric hospital
- DS-25-51 History of Hepatitis A
- DS-25-52 Exposure to Hepatitis A
- DS-25-53 Multiple high risk behaviors/contacts
- DS-25-54 Positive drug screen
- DS-25-55 Deferred by another center
- DS-26-** Incorrect ID used during deferral search
- DS-26-01 donor not previously deferred

DS-27-** Incorrect ID used during deferral search, donor previously deferred due to testing

- DS-27-01 Other
- DS-27-02 HIV reactive
- DS-27-03 HBsAg reactive
- DS-27-04 Anti-HBc reactive
- DS-27-05 Anti-HCV reactive
- DS-27-06 Anti-HTLV-I reactive
- DS-27-07 ALT elevated
- DS-27-08 Syphilis reactive

DS-28-** Incorrect ID used during deferral search, donor previously deferred due to history

- DS-28-01 Other
- DS-28-02 History of hepatitis, not specified
- DS-28-03 History of jaundice
- DS-28-04 History of Hepatitis B
- DS-28-05 History of Hepatitis C
- DS-28-06 Sexually transmitted disease
- DS-28-07 Sex partner has or had a sexually transmitted disease
- DS-28-08 Sex partner tested positive for HIV
- DS-28-09 Sex partner tested positive for HTLV I/II
- DS-28-10 Sex partner tested positive for HBV
- DS-28-11 Sex partner tested positive for HCV
- DS-28-12 Sex partner tested positive for hepatitis, not specified
- DS-28-13 Sex partner engaged in high risk behavior
- DS-28-14 Male donor had sex with another man
- DS-28-15 Female had sex with a man who had sex with another man
- DS-28-16 IV drug use
- DS-28-17 Sex with IV drug user
- DS-28-18 Non-IV-drug use
- DS-28-19 Sex partner used non-IV drugs
- DS-28-20 Donor lived in or immigrated from an HIV Group O risk area
- DS-28-21 Sex partner lived in or immigrated from an HIV Group O risk area
- DS-28-22 Exchanged sex for drugs or money
- DS-28-23 Sex partner exchanged sex for drugs or money
- DS-28-24 Donor received tattoo within 12 months of donation
- DS-28-25 Donor received ear piercing within 12 months of donation
- DS-28-26 Donor received body piercing within 12 months of donation
- DS-28-27 Donor received accidental needlestick within 12 months of donation
- DS-28-28 Donor received transfusion or clotting factors within 12 months of donation
- DS-28-29 Donor received bone graft or transplant within 12 months of donation
- DS-28-30 Donor was exposed to blood or body fluids
- DS-28-31 Donor had multiple blood or body fluid exposures, e.g., tattoo/piercing
- DS-28-32 Non-sexual exposure to HIV
- DS-28-33 Non-sexual exposure to hepatitis, type not specified

- DS-28-34 Non-sexual exposure to Hepatitis B
- DS-28-35 Non-sexual exposure to Hepatitis C
- DS-28-36 Travel to malaria endemic area/history of malaria
- DS-28-37 History of disease or surgery
- DS-28-38 History of cancer
- DS-28-39 History of Creutzfeldt-Jakob Disease
- DS-28-40 Risk factors associated with Creutzfeldt-Jakob Disease- brain surgery
- DS-28-41 Risk factors associated with Creutzfeldt-Jakob Disease - family history
- DS-28-42 Risk factors associated with Creutzfeldt-Jakob Disease (vCJD) – travel
- DS-28-43 Risk factors associated with Creutzfeldt-Jakob Disease-received insulin
- DS-28-44 Received growth hormone
- DS-28-45 Received Proscar, Tegison or Accutane
- DS-28-46 Received medication or antibiotics
- DS-28-47 Received vaccine or immune globulin
- DS-28-48 Exposure to a disease
- DS-28-49 Incarcerated
- DS-28-50 Resided in a rehabilitation center or psychiatric hospital
- DS-28-51 History of Hepatitis A
- DS-28-52 Exposure to Hepatitis A
- DS-28-53 Multiple high risk behaviors/contacts
- DS-28-54 Positive drug screen
- DS-28-55 Deferred by another center
- DS-29-** Donor gave history which warranted deferral and was not deferred
 - DS-29-01 Other
 - DS-29-02 History of hepatitis, not specified
 - DS-29-03 History of jaundice
 - DS-29-04 History of Hepatitis B
 - DS-29-05 History of Hepatitis C
 - DS-29-06 Sexually transmitted disease
 - DS-29-07 Sex partner has or had a sexually transmitted disease
 - DS-29-08 Sex partner tested positive for HIV
 - DS-29-09 Sex partner tested positive for HTLV I/II
 - DS-29-10 Sex partner tested positive for HBV
 - DS-29-11 Sex partner tested positive for HCV
 - DS-29-12 Sex partner tested positive for hepatitis, not specified
 - DS-29-13 Sex partner engaged in high risk behavior
 - DS-29-14 Male donor had sex with another man
 - DS-29-15 Female had sex with a man who had sex with another man
 - DS-29-16 IV drug use
 - DS-29-17 Sex with IV drug user
 - DS-29-18 Non-IV-drug use
 - DS-29-19 Sex partner used non-IV drugs
 - DS-29-20 Donor lived in or immigrated from an HIV Group O risk area
 - DS-29-21 Sex partner lived in or immigrated from an HIV Group O risk area
 - DS-29-22 Exchanged sex for drugs or money
 - DS-29-23 Sex partner exchanged sex for drugs or money

DS-29-24 Donor received tattoo within 12 months of donation
 DS-29-25 Donor received ear piercing within 12 months of donation
 DS-29-26 Donor received body piercing within 12 months of donation
 DS-29-27 Donor received accidental needlestick within 12 months of donation
 DS-29-28 Donor received transfusion or clotting factors within 12 months of donation
 DS-29-29 Donor received bone graft or transplant within 12 months of donation
 DS-29-30 Donor was exposed to blood or body fluids
 DS-29-31 Donor had multiple blood or body fluid exposures, e.g., tattoo/piercing
 DS-29-32 Non-sexual exposure to HIV
 DS-29-33 Non-sexual exposure to hepatitis, type not specified
 DS-29-34 Non-sexual exposure to Hepatitis B
 DS-29-35 Non-sexual exposure to Hepatitis C
 DS-29-36 Travel to malaria endemic area/history of malaria
 DS-29-37 History of disease or surgery
 DS-29-38 History of cancer
 DS-29-39 History of Creutzfeldt-Jakob Disease
 DS-29-40 Risk factors associated with Creutzfeldt-Jakob Disease - brain surgery
 DS-29-41 Risk factors associated with Creutzfeldt-Jakob Disease - family history
 DS-29-42 Risk factors associated with Creutzfeldt-Jakob Disease (vCJD) - travel
 DS-29-43 Risk factors associated with Creutzfeldt-Jakob Disease-received insulin
 DS-29-44 Received growth hormone
 DS-29-45 Received Proscar, Tegison or Accutane
 DS-29-46 Received medication or antibiotics
 DS-29-47 Received vaccine or immune globulin
 DS-29-48 Exposure to a disease
 DS-29-49 Incarcerated
 DS-29-50 Resided in a rehabilitation center or psychiatric hospital
 DS-29-51 History of Hepatitis A
 DS-29-52 Exposure to Hepatitis A
 DS-29-53 Multiple high risk behaviors/contacts
 DS-29-54 Positive drug screen
 DS-29-55 Deferred by another center

DD-**-** DONOR DEFERRAL

DD-30-** Miscellaneous

DD-30-01 Other

DD-31-** Donor missing or incorrectly identified on deferral list, donor previously deferred due to testing:

DD-31-01 Other

DD-31-02 HIV reactive

DD-31-03 HBsAg reactive

DD-31-04 Anti-HBc reactive

DD-31-05 Anti-HCV reactive

DD-31-06 Anti-HTLV-I reactive

DD-31-07 ALT elevated

DD-31-08 Syphilis reactive

DD-32-** Donor missing or incorrectly identified on deferral list, donor previously deferred due to history:

DD-32-01 Other

DD-32-02 History of hepatitis, not specified

DD-32-03 History of jaundice

DD-32-04 History of Hepatitis B

DD-32-05 History of Hepatitis C

DD-32-06 Sexually transmitted disease

DD-32-07 Sex partner has or had sexually transmitted disease

DD-32-08 Sex partner tested positive for HIV

DD-32-09 Sex partner tested positive for HTLV I/II

DD-32-10 Sex partner tested positive for HBV

DD-32-11 Sex partner tested positive for HCV

DD-32-12 Sex partner tested positive for hepatitis, not specified

DD-32-13 Sex partner engaged in high risk behavior

DD-32-14 Male donor had sex with another man

DD-32-15 Female had sex with a man who had sex with another man

DD-32-16 IV drug use

DD-32-17 Sex with IV drug user

DD-32-18 Non-IV-drug use

DD-32-19 Sex partner used non-IV drugs

DD-32-20 Donor lived in or immigrated from an HIV Group O risk area

DD-32-21 Sex partner lived in or immigrated from an HIV Group O risk area

DD-32-22 Exchanged sex for drugs or money

DD-32-23 Sex partner exchanged sex for drugs or money

DD-32-24 Donor received tattoo within 12 months of donation

DD-32-25 Donor received ear piercing within 12 months of donation

DD-32-26 Donor received body piercing within 12 months of donation

DD-32-27 Donor received accidental needlestick within 12 months of donation

DD-32-28 Donor received transfusion or clotting factors within 12 months of donation

DD-32-29 Donor received bone graft or transplant within 12 months of donation

DD-32-30 Donor was exposed to blood or body fluids

DD-32-31 Donor had multiple blood or body fluid exposures, e.g., tattoo/piercing

DD-32-32 Non-sexual exposure to HIV

DD-32-33 Non-sexual exposure to hepatitis, type not specified

DD-32-34 Non-sexual exposure to Hepatitis B

DD-32-35 Non-sexual exposure to Hepatitis C

DD-32-36 Travel to malaria endemic area/history of malaria

DD-32-37 History of disease or surgery

DD-32-38 History of cancer

DD-32-39 History of Creutzfeldt-Jakob Disease

DD-32-40 Risk factors associated with Creutzfeldt-Jakob Disease - brain surgery

DD-32-41 Risk factors associated with Creutzfeldt-Jakob Disease - family history

DD-32-42 Risk factors associated with Creutzfeldt-Jakob Disease (vCJD) - travel

- DD-32-43 Risk factors associated with Creutzfeldt-Jakob Disease-received insulin
- DD-32-44 Received growth hormone
- DD-32-45 Received Proscar, Tegison or Accutane
- DD-32-46 Received medication or antibiotics
- DD-32-47 Received vaccine or immune globulin
- DD-32-48 Exposure to a disease
- DD-32-49 Incarcerated
- DD-32-50 Resided in a rehabilitation center or psychiatric hospital
- DD-32-51 History of Hepatitis A
- DD-32-52 Exposure to Hepatitis A
- DD-32-53 Multiple high risk behaviors/contacts
- DD-32-54 Positive drug screen
- DD-32-55 Deferred by another center
- DD-34-** Donor incorrectly deleted from deferral list or donor not reentered properly, donor previously deferred due to testing:
 - DD-34-01 Other
 - DD-34-02 HIV reactive
 - DD-34-03 HBsAg reactive
 - DD-34-04 Anti-HBc reactive
 - DD-34-05 Anti-HCV reactive
 - DD-34-06 Anti-HTLV-I reactive
 - DD-34-07 ALT elevated
 - DD-34-08 Syphilis reactive
- DD-35-** Donor incorrectly deleted from deferral list, donor previously deferred due to history:
 - DD-35-01 Other
 - DD-35-02 History of hepatitis, not specified
 - DD-35-03 History of jaundice
 - DD-35-04 History of Hepatitis B
 - DD-35-05 History of Hepatitis C
 - DD-35-06 Sexually transmitted disease
 - DD-35-07 Sex partner has or had a sexually transmitted disease
 - DD-35-08 Sex partner tested positive for HIV
 - DD-35-09 Sex partner tested positive for HTLV I/II
 - DD-35-10 Sex partner tested positive for HBV
 - DD-35-11 Sex partner tested positive for HCV
 - DD-35-12 Sex partner tested positive for hepatitis, not specified
 - DD-35-13 Sex partner engaged in high risk behavior
 - DD-35-14 Male donor had sex with another man
 - DD-35-15 Female had sex with a man who had sex with another man
 - DD-35-16 IV drug use
 - DD-35-17 Sex with IV drug user
 - DD-35-18 Non-IV-drug use
 - DD-35-19 Sex partner used non-IV drugs
 - DD-35-20 Donor lived in or immigrated from an HIV Group O risk area

DD-35-21 Sex partner lived in or immigrated from an HIV Group O risk area
 DD-35-22 Exchanged sex for drugs or money
 DD-35-23 Sex partner exchanged sex for drugs or money
 DD-35-24 Donor received tattoo within 12 months of donation
 DD-35-25 Donor received ear piercing within 12 months of donation
 DD-35-26 Donor received body piercing within 12 months of donation
 DD-35-27 Donor received accidental needlestick within 12 months of donation
 DD-35-28 Donor received transfusion or clotting factors within 12 months of donation
 DD-35-29 Donor received bone graft or transplant within 12 months of donation
 DD-35-30 Donor was exposed to blood or body fluids
 DD-35-31 Donor had multiple blood or body fluid exposures, e.g., tattoo/piercing
 DD-35-32 Non-sexual exposure to HIV
 DD-35-33 Non-sexual exposure to hepatitis, type not specified
 DD-35-34 Non-sexual exposure to Hepatitis B
 DD-35-35 Non-sexual exposure to Hepatitis C
 DD-35-36 Travel to malaria endemic area/history of malaria
 DD-35-37 History of disease or surgery
 DD-35-38 History of cancer
 DD-35-39 History of Creutzfeldt-Jakob Disease
 DD-35-40 Risk factors associated with Creutzfeldt-Jakob Disease - brain surgery
 DD-35-41 Risk factors associated with Creutzfeldt-Jakob Disease - family history
 DD-35-42 Risk factors associated with Creutzfeldt-Jakob Disease (vCJD) - travel
 DD-35-43 Risk factors associated with Creutzfeldt-Jakob Disease-received insulin
 DD-35-44 Received growth hormone
 DD-35-45 Received Proscar, Tegison or Accutane
 DD-35-46 Received medication or antibiotics
 DD-35-47 Received vaccine or immune globulin
 DD-35-48 Exposure to a disease
 DD-35-49 Incarcerated
 DD-35-50 Resided in a rehabilitation center or psychiatric hospital
 DD-35-51 History of Hepatitis A
 DD-35-52 Exposure to Hepatitis A
 DD-35-53 Multiple high risk behaviors/contacts
 DD-35-54 Positive drug screen
 DD-35-55 Deferred by another center

BC-**-** BLOOD COLLECTION

BC-40-** Miscellaneous

BC-40-01 Other

BC-41-** Sterility compromised

BC-41-01 Other

BC-41-02 Bacterial contamination

BC-41-03 Air contamination

BC-41-04 Arm prep not performed or performed inappropriately

- BC-42-** Collection bag
 - BC-42-01 Other
 - BC-42-02 Blood drawn into outdated bag
 - BC-42-03 Incorrect anticoagulant
 - BC-42-04 Outdated anticoagulant
- BC-43-** Collection process
 - BC-43-01 Other
 - BC-43-02 Collection time extended, discrepant, or not documented; not discovered prior to component prep
 - BC-43-03 Overbled; not discovered prior to component prep
 - BC-43-04 Collection status not documented or discrepant
- BC-44-** Collection device
 - BC-44-01 Other
 - BC-44-02 Device defect
 - BC-44-03 Softgoods defect (bags, tubing, etc)

- CP-**-** COMPONENT PREPARATION
- CP-50-** Miscellaneous
 - CP-50-01 Other
- CP-51-** Sterility compromised
 - CP-51-01 Other
 - CP-51-02 Bacterial contamination
 - CP-51-03 Air contamination
- CP-52-** Procedure for component preparation not followed
 - CP-52-01 Other
 - CP-52-02 Platelets made from Whole Blood collected from donor who took aspirin or aspirin containing medication
 - CP-52-03 Resting time requirements not met for Platelets
 - CP-52-04 Platelets not agitated
 - CP-52-05 Platelet count or platelet yield not acceptable or platelet count not performed on Platelet product
 - CP-52-06 Processed at incorrect centrifuge setting
 - CP-52-07 Freezing time requirements not met or not documented
 - CP-52-08 Prepared at incorrect temperature or held at incorrect temperature during component prep
 - CP-52-09 Procedure for washing/deglycerolization not followed
 - CP-52-10 Procedure for leukoreduction not followed
 - CP-52-11 Procedure for irradiation not followed
 - CP-52-12 Components not prepared within appropriate time frame after collection
 - CP-52-13 Additive solution not added, added incorrectly, or added to incorrect product
 - CP-52-14 Procedure for thawing frozen product not followed
- CP-53-** Component prepared from Whole Blood unit that was
 - CP-53-01 Other
 - CP-53-02 Overweight
 - CP-53-03 Underweight

- CP-53-04 Collected or stored at unacceptable or undocumented temperature
- CP-53-05 A difficult collection or had an extended collection time
- CP-54-**-** Component manufactured that was
 - CP-54-01 Other
 - CP-54-02 Overweight
 - CP-54-03 Underweight

VT/RT LABORATORY TESTING

VT-**-** VIRAL TESTING

- VT-70-**-** Miscellaneous
 - VT-70-01 Other
- VT-71-**-** Incorrectly tested for:
 - VT-71-01 HbsAg
 - VT-71-02 Anti-HIV-1
 - VT-71-03 Anti-HIV-2
 - VT-71-04 Anti-HIV-1/2
 - VT-71-05 HIV Antigen
 - VT-71-06 Syphilis
 - VT-71-07 Anti-HTLV-I/II
 - VT-71-08 Anti-HBc
 - VT-71-09 ALT
 - VT-71-10 Anti-HCV
 - VT-71-11 More than 1 test, e.g., all viral markers
 - VT-71-12 Cytomegalovirus
- VT-72-**-** Sample identification
 - VT-72-01 Other
 - VT-72-02 Incorrect sample tested
 - VT-72-03 Sample incorrectly or incompletely labeled
 - VT-72-04 Unsuitable sample used for testing

RT-**-** ROUTINE TESTING

- RT-60-**-** Miscellaneous
 - RT-60-01 Other
- RT-61-**-** Incorrectly tested for:
 - RT-61-01 Other
 - RT-61-02 ABO
 - RT-61-03 Rh
 - RT-61-04 ABO & Rh
 - RT-61-05 Antibody screening or identification
 - RT-61-06 Antigen typing
 - RT-61-07 Platelet count
 - RT-61-08 Compatibility
- RT-62-**-** Sample identification
 - RT-62-01 Other
 - RT-62-02 Incorrect sample tested

- RT-62-03 Sample incorrectly or incompletely labeled
- RT-62-04 Unsuitable sample used for testing (e.g., too old)
- RT-63-** Reagent QC unacceptable or expired reagents used
 - RT-63-01 Other
 - RT-63-02 ABO
 - RT-63-03 Rh
 - RT-63-04 ABO & Rh
 - RT-63-05 Antibody screening or identification
 - RT-63-06 Antigen typing
- LA-**-** LABELING
- LA-80-** Miscellaneous
 - LA-80-01 Other
- LA-81-** Blood unit labels
 - LA-81-01 Other
 - LA-81-02 ABO and/or Rh incorrect
 - LA-81-03 ABO and/or Rh missing
 - LA-81-04 Product type incorrect
 - LA-81-05 Product type missing
 - LA-81-06 Extended expiration date or time
 - LA-81-07 Missing expiration date or time
 - LA-81-08 Anticoagulant incorrect or missing
 - LA-81-09 Donor number incorrect or missing
 - LA-81-10 Multiple labels incorrect or missing
 - LA-81-11 Volume incorrect or missing
- LA-82-** Crossmatch tag or tie tag labels incorrect or missing information
 - LA-82-01 Other
 - LA-82-02 Unit ABO and/or Rh incorrect or missing
 - LA-82-03 Recipient ABO and/or Rh incorrect or missing
 - LA-82-04 Product type incorrect or missing
 - LA-82-05 Expiration date or time extended or missing
 - LA-82-06 Unit or pool number incorrect or missing
 - LA-82-07 Recipient identification incorrect or missing
 - LA-82-08 Antigen incorrect or missing
 - LA-82-09 Antibody incorrect or missing
 - LA-82-10 Platelet count incorrect or missing
 - LA-82-11 HLA type incorrect or missing
 - LA-82-12 Volume or weight incorrect or missing
 - LA-82-13 CMV status incorrect or missing
 - LA-82-14 Irradiation status incorrect or missing
 - LA-82-15 Leukoreduced status incorrect or missing
 - LA-82-16 Crossmatch tag switched, both units intended for the same patient
 - LA-82-17 Crossmatch tag incorrect or missing
 - LA-82-18 Biohazard or test status incorrect or missing
- LA-83-** Transfusion record (crossmatch slip) incorrect or missing information
 - LA-83-01 Other

LA-83-02 Unit ABO and/or Rh incorrect or missing
 LA-83-03 Recipient ABO and/or Rh incorrect or missing
 LA-83-04 Product type incorrect or missing
 LA-83-05 Expiration date or time extended or missing
 LA-83-06 Unit or pool number incorrect or missing
 LA-83-07 Recipient identification incorrect or missing
 LA-83-08 Antigen incorrect or missing
 LA-83-09 Antibody incorrect or missing
 LA-83-10 Platelet count incorrect or missing
 LA-83-11 HLA type incorrect or missing
 LA-83-12 Volume or weight incorrect or missing
 LA-83-13 CMV status incorrect or missing
 LA-83-14 Irradiation status incorrect or missing
 LA-83-15 Leukoreduced status incorrect or missing
 LA-83-16 Transfusion record switched, both units intended for the same patient
 LA-83-17 Transfusion record incorrect or missing
 LA-83-18 Biohazard or test status incorrect or missing

QC-**-** QUALITY CONTROL and DISTRIBUTION

QC-90-** Miscellaneous

QC-90-01 Other

QC-91-** Failure to quarantine unit due to medical history:

QC-91-01 Other

QC-91-02 History of hepatitis, not specified

QC-91-03 History of jaundice

QC-91-04 History of Hepatitis B

QC-91-05 History of Hepatitis C

QC-91-06 Sexually transmitted disease

QC-91-07 Sex partner has or had a sexually transmitted disease

QC-91-08 Sex partner tested positive for HIV

QC-91-09 Sex partner tested positive for HTLV I/II

QC-91-10 Sex partner tested positive for HBV

QC-91-11 Sex partner tested positive for HCV

QC-91-12 Sex partner tested positive for hepatitis, not specified

QC-91-13 Sex partner engaged in high risk behavior

QC-91-14 Male donor had sex with another man

QC-91-15 Female had sex with a man who had sex with another man

QC-91-16 IV drug use

QC-91-17 Sex with IV drug user

QC-91-18 Non-IV-drug use

QC-91-19 Sex partner used non-IV drugs

QC-91-20 Donor lived in or immigrated from an HIV Group O risk area

QC-91-21 Sex partner lived in or immigrated from an HIV Group O risk area

QC-91-22 Exchanged sex for drugs or money

QC-91-23 Sex partner exchanged sex for drugs or money

QC-91-24 Donor received tattoo within 12 months of donation

- QC-91-25 Donor received ear piercing within 12 months of donation
- QC-91-26 Donor received body piercing within 12 months of donation
- QC-91-27 Donor received accidental needlestick within 12 months of donation
- QC-91-28 Donor received transfusion or clotting factors within 12 months of donation
- QC-91-29 Donor received bone graft or transplant within 12 months of donation
- QC-91-30 Donor was exposed to blood or body fluids
- QC-91-31 Donor had multiple blood or body fluid exposures, e.g., tattoo/piercing
- QC-91-32 Non-sexual exposure to HIV
- QC-91-33 Non-sexual exposure to hepatitis, type not specified
- QC-91-34 Non-sexual exposure to Hepatitis B
- QC-91-35 Non-sexual exposure to Hepatitis C
- QC-91-36 Travel to malaria endemic area/history of malaria
- QC-91-37 History of disease or surgery
- QC-91-38 History of cancer
- QC-91-39 History of Creutzfeldt-Jakob Disease
- QC-91-40 Risk factors associated with Creutzfeldt-Jakob Disease - brain surgery
- QC-91-41 Risk factors associated with Creutzfeldt-Jakob Disease - family history
- QC-91-42 Risk factors associated with Creutzfeldt-Jakob Disease (vCJD) - travel
- QC-91-43 Risk factors associated with Creutzfeldt-Jakob Disease - received insulin
- QC-91-44 Received growth hormone
- QC-91-45 Received Proscar, Tegison or Accutane
- QC-91-46 Received medication or antibiotics
- QC-91-47 Received vaccine or immune globulin
- QC-91-48 Exposure to a disease
- QC-91-49 Incarcerated
- QC-91-50 Resided in a rehabilitation center or psychiatric hospital
- QC-91-51 History of Hepatitis A
- QC-91-52 Exposure to Hepatitis A
- QC-91-53 Multiple high risk behaviors/contacts
- QC-91-54 Positive drug screen
- QC-91-55 Deferred by another center
- QC-91-56 Post donation illness
- QC-92-** Failure to quarantine unit due to incorrect, incomplete, or positive testing for:
 - QC-92-01 Other
 - QC-92-02 HIV
 - QC-92-03 HBsAg
 - QC-92-04 Anti-HBc
 - QC-92-05 Anti-HCV
 - QC-92-06 Anti-HTLV-I
 - QC-92-07 ALT
 - QC-92-08 ABO
 - QC-92-09 Rh
 - QC-92-10 Antibody screen or identification
 - QC-92-11 Antigen screen

- QC-92-12 Syphilis
- QC-92-13 All viral markers
- QC-92-14 Crossmatch
- QC-93-** Failure to quarantine unit due to testing not performed or documented for:
 - QC-93-01 Other
 - QC-93-02 HIV
 - QC-93-03 HBsAg
 - QC-93-04 Anti-HBc
 - QC-93-05 Anti-HCV
 - QC-93-06 Anti-HTLV-I
 - QC-93-07 ALT
 - QC-93-08 ABO
 - QC-93-09 Rh
 - QC-93-10 Antibody screen or identification
 - QC-93-11 Antigen screen
 - QC-93-12 Syphilis
 - QC-93-13 All viral markers
 - QC-93-14 Crossmatch
- QC-94-** Inappropriate release of:
 - QC-94-01 Other
 - QC-94-02 Outdated product
 - QC-94-03 Autologous unit not meeting homologous criteria
 - QC-94-04 Product with unacceptable or undocumented product QC
 - QC-94-05 Product in which specification other than QC not met
 - QC-94-06 Product in which instrument QC or validation was unacceptable or not documented
 - QC-94-08 Product prior to resolution of discrepancy
 - QC-94-09 Product associated with product that contained clots or hemolysis
 - QC-94-12 Product identified as unsuitable due to collection procedures not followed
 - QC-94-13 Product identified as unsuitable due to component preparation procedures not followed
 - QC-94-14 Product identified as unsuitable due to labeling procedures not followed
 - QC-94-15 Product identified as unsuitable due to donor screening procedures not followed
 - QC-94-16 Product identified as unsuitable due to donor deferral procedures not followed
- QC-95-** Unsuitable product
 - QC-95-01 Other
 - QC-95-02 Unit or segments contained clots or would not flow through filter
 - QC-95-03 Unit or segment hemolyzed
- QC-96-** Shipping and storage
 - QC-96-01 Other
 - QC-96-02 Shipped at incorrect temperature
 - QC-96-03 Stored at incorrect temperature

QC-97-** Improper blood bank practices

- QC-97-01 Other
- QC-97-02 Product not irradiated as required
- QC-97-03 Unit issued to wrong patient
- QC-97-04 Improper product selected for patient
- QC-97-05 Improper ABO or Rh type selected for patient
- QC-97-06 Product not leukoreduced as required
- QC-97-07 Unit released prior to obtaining current sample for ABO, Rh, antibody screen and/or crossmatch testing
- QC-97-08 Product not CMV negative as required
- QC-97-09 Pooled platelets include different blood groups
- QC-97-10 Filter not issued with product or incorrect filter issued
- QC-97-11 Product not irradiated and leukoreduced as required
- QC-97-12 Product not irradiated and CMV negative as required
- QC-97-13 Procedure for issuing unit not followed
- QC-97-14 ABO and/or Rh retype of unit not performed or performed incorrect

MI-**-** MISCELLANEOUS

MI-00-** Miscellaneous

- MI-00-01 Other
- MI-01-** Donor implicated in transfusion associated disease
- MI-01-01 Other
- MI-01-02 HIV
- MI-01-03 Hepatitis

MI-02-** Lookback; subsequent unit tested confirmed

- MI-02-01 Other
- MI-02-02 HIV antibody positive
- MI-02-03 HBsAg positive
- MI-02-04 HCV positive
- MI-02-05 HTLV-I positive
- MI-02-06 HIV antigen positive